Dual Diagnosis Interim Report

Candace Cross-Drew

California Department of Mental Health

&

Craig Chaffee

California Department of Drug and Alcohol Programs

Overview of Presentation

- Similarities & differences among projects
- Demographic Characteristics
- Clinical Data
- Qualitative data Case Studies
- Qualitative data Staff perceptions
- Common Themes


Similarities & Differences

- Age & Gender are similar
- Racial/ethnic are different
- Mental Health diagnosis are similar
- Substance abuse diagnosis are somewhat different
- Scores on clinical forms are fairly similar
- Staff qualifications are similar

Common Themes


- Engaging this pop. is a challenge
- Relapse is common
- Housing is critical
- Individualized treatment to client

CharacteristicsGender of All Participants




for


All Participating Clients




Contra Costa Project Racial/ethnic Composition




Racial/ethnic Composition



San Diego Project Racial/ethnic Composition



Santa Cruz Project Racial/ethnic Composition



Diagnosis at Admission

- Most Frequent Schizophrenic or mood disorder
- Alcohol most frequent drug at 2
- Cocaine most frequent at 1
- Polydrug most frequent at 1
- Alcohol a problem at all (first or second)

Clinical Data

- 5 Forms at admission
- Similar scores at all projects
- Just admission scores
- Change over time is key

Kennedy Axis V


- Similar results at all 4 sites
- Psychological functioning lowest at 2 sites
- Substance abuse lowest at 1
- Substance abuse & Psych tied at 1 site




CA-QOL at Admission

- Clients least satisfied w/finances
- Clients most satisfied w/safety
- All sites majority of clients report adequate \$ for food
- 3 Sites clients report not enough \$ for clothing, housing, local travel, etc.
- San Diego clients had enough for housing & local travel yet least Spending \$\$

Victims of Violent Crime



Victims of Non Violent Crime



Addiction Severity Index

- Scores similar at all 4 projects
- Surprisingly low scores on ASI for drug & Alcohol (low score= little or not problems)
- All projects score severest problem is w/employment
- least problematic is drug

Explaining the ASI

- Time Frame of Questions (last 30 days)
- Denial common to substance abusers
- Self report not accurate w/this pop
- Form may not be appropriate for this pop

Basis-32


- Clients at all 4 sites gave themselves positive ratings (meaning little to no difficulty) on psychosis and on impulsive/addictive difficulties
- Most difficulties for all 4 projects was in area of depression/anxiety
- Positive ratings for psychosis & addiction may be explained by same items as ASI

SF - 12

- Clients at 3 projects gave good ratings to Physical health
- Clients at 3 projects gave lower, but still high ratings to mental health
- San Diego clients were much lower on both scales (maybe a calculation problem)

Studies Data - Case

- Case Histories -Peoples stories
- Faces behind the numbers
- 6 cases, 6 very different people



Qualitative Data Staff Survey

- All staff given survey in late summer 1999
- Staff well educated & well trained
- 81% had MH exp
- 48% had Sub. exp
- 81% had DD exp

